

Index

- Abrikosov vortex, 477
- activated state and equilibrium, 78
- activated state rate theory, 76
- activation barrier, 529
- activation energy, 223, 224, 257
- activation entropy, 257
- activation volume, 223
- activity (chemical), 431
- adatom, 288
- adiabatic approximation, 576
- Ag, 413
- Al, 413, 563
- Al-Li, 201
- Al-Pb, 87
- allotriomorph, 86, 172, 301
- alloy phases, 21
- alloy supercooling, 119
- alumina, 126
- aluminum, 126
- amorphization, 122
- amorphous phase, 130, 414
- anharmonicity, 204, 571, 574
- anisotropy, 162, 211
- anisotropy energy, 459
- anisotropy gap energy, 455
- annealing, 279
- anomalous diffusion, 15
- antibonding, 139, 217
- antiferromagnetism, 434, 452
- antiphase boundary profile, 347
- antiphase domain boundary, 178, 234, 344
- antisite atom, 487
- antisymmetric wavefunction, 439
- APB width, 344
- aspect ratio, 300
- athermal, 389
- atom configurations, 34
- atomic ordering, 47
- Atomium, 405
- attempt frequency, 257, 529
- Au, 413
- austenite, 304, 387
- austenitizing, 309
- autocatalytic, 304
- autocorrelation function, 545
- average, 157
- Avrami equation, 312
- $b(k)$, 366
- B2, 181, 359, 376, 378, 496, 538
 - second order, 372
- B2 structure, 359
- B32, 359, 496, 538
- Ba, 267
- bainite, 305, 310
- ball milling (high energy), 106
- ballistic jump, 249, 254, 542
- band structure, 147, 152, 154, 220
- basis vector, 358
- BaTiO₃, 457
- bcc, 357, 490, 496
 - 2nn forces, 404
- BCS theory, 471
- Becker and Döring, 91
- Bessel function, 72
- bin, 531
- binary alloy, 33
- binomial expansion, 35, 195
- binomial probability, 258
- bin, 18
- Bloch $T^{3/2}$ law, 452
- Bloch wall, 428, 458
- Bloch's theorem, 146, 450
- blocking temperature, 429
- Bogers–Burgers double shear, 392
- Boltzmann, 175
- Boltzmann factor, 16, 221
- Boltzmann substitution, 65
- bond counting, 298
- bond energy, 141
- bond integral, 139, 147
- bond length, 201, 203
- bond proportion model, 193
- bond stiffness, 194
 - chemical effects, 204
- bond stiffness vs. bond length model, 201
- bonding, 139, 153, 217
- Born–Oppenheimer approximation, 190, 473
- Born–von Kármán model, 190, 194, 560
- Bose–Einstein condensation, 462
- Bose–Einstein factor, 462
- bosons, 188, 451, 462
- boundary conditions, 66, 95, 149

- boxel, 14
- Bragg–Williams approximation, 47, 50, 199
- branch, 562
- Brillouin zone, 355, 562
- bulk modulus, 157, 211, 279, 566
- Burgers vector, 380
 - conservation of, 384
- C_V and C_P , 566
- Cahn, John Werner, 326
- Cahn–Hilliard equation, 324
- calculus of variations, 326, 520
- calorimetry, 407, 566
- carbon dioxide, 9
- carbon nanotubes, 419
- casting, 340
- Cauchy’s first law, 521
- Cayley tree, 461
- Ce, 8, 225, 575
- cementite, 304
- characteristic width, 347
- charge density, 440
- chemical bonding, 137
- chemical bonding energy, 34
- chemical environment, 528, 529
- chemical factor, 247
- chemical potential, 17, 244, 246, 462
- chemical spinodal, 333
- chemisorption, 424
- chessboard, 182, 453, 488
- classical vs. quantum behavior, 469
- Clausius–Clapeyron equation, 215, 408
- cluster, 91, 93
- cluster expansion, 181, 204
- Co, 413
- coarse-graining, 507
- coarsening, 302, 313, 352
- coherence, 477, 482, 554
- coherent spinodal, 333
- coincidence boundary, 412
- collector plate, 301
- collision cascade, 106
- collisions, 93, 244
- colonies, 306
- combinatorial factor, 204
- common tangent construction, 30
- commutation, 554
- completeness, 555
- complex conjugate, 365
- complex exponential, 359
- complex material, 438
- composition fluctuation, 250, 319, 321
- compressibility, 211
- computer program
 - complexity and entropy, 480
- computer simulation, 300, 343
- concentration gradient, 330
- concentration profile, 114
- concentration profile, stability of, 319
- concentration wave, 354
 - infinitesimal, 374, 376
 - stability, 376
- condensate wavefunction, 468
- conduction electron polarization, 456
- conductivity, 245
- configurational coordinates, 176
- configurational energy, 35
- configurational entropy, 35, 37, 177
 - nanostructure, 419
- confined electrons, 418
- confocal ellipsoidal coordinates, 56
- conservation of solute, 29
- conservative dynamics, 348
- constitutional supercooling, 119
- constraint, 44, 328, 530
- continuous, 80
- convection, 56
- convolution, 376, 524
- cooling rate, 104
- Cooper pair, 4, 471, 570
- cooperative transition, 447, 501
- coordinate systems, 56, 71
- coordinates, 175
- coordination number, 34
- core electron polarization, 442
- correlated electrons, 444
- correlation
 - entropy of liquid, 274
- correlation factor, 233, 257, 259
 - heterogeneous alloy, 232
 - table, 231
 - tracer, 230
- correlation function, 182
- correlation length, 503, 506
- Coulomb correlation, 445
- Coulomb energy, 441
- covalency, 142, 143
- Cr, 575
- critical condition, 209
- critical field, 477
- critical free energy of formation, 84
- critical nucleus, 82, 101
- critical point, 8
- critical radius, 84, 126
 - strain effects, 90
- critical slowing down, 504
- critical temperature, 38, 39, 50, 193, 198, 375, 448, 501, 534
 - change with ΔS_{vib} , 193
 - displacive transition, 399
 - ordering, 200, 203
 - unmixing, 195, 197, 250
- critical undercooling, 98

- critical wavevector, 332
- cry of tin, 387
- crystal field theory, 139, 218
- crystallization, 130, 371
- crystallographic variant, 400
- CsCl, 359
- Cu, 267, 413
- Cu₃Au, 359
- Cu-Al, 387
- Cu-Co, 13, 82
- Cu-Zn, 387
- CuAu, 359
- CuPt, 378
- Curie temperature, 304, 434, 447, 448, 456
- Curie-Weiss law, 449
- curvature, 294, 348, 351
- curvilinear coordinates, 350
- CuZr, 130
- cylindrical coordinates, 72
- Debye model, 565
- Debye-Waller factor, 556
- decimation, 507
- deformation potential, 473
- degrees of freedom, 42, 252, 507
 - microstructure, 419
- dendrite, 119, 340
- density, 502
- density of states, 147, 149, 451
- determinant, 139
- deuterium, 247
- devitrification, 130
- diatomic molecule, 137
- diffractometry, 525
- diffusion, 12, 104, 108, 313, 330, 387, 552
 - anomalous, 15
 - chemical potential, 314
 - distance, 66
 - ideal gases, 236
 - in inhomogeneous alloy, 236
 - liquid, 113
 - marker velocity, 237
 - zone, 126
- diffusion coefficient, 236, 257, 545
- diffusion equation, 59
- diffusionless transformation, 387
- dilation, electron energy, 472
- dilute impurity, 53
- dimensionality, 101, 349, 419
- dimensionless integral, 452
- Dirac δ -function, 61, 63
- Dirac notation, 138
- discontinuous, 80
- dislocation, 82, 283, 291, 303, 380, 411
 - Burgers vector, 380
 - core, 382
 - core radius, 283
- edge, 380
- fcc and hcp, 383
- glide, 381
- groups of, 411
- mixed, 381
- partial, 384
- plastic deformation, 380
- reactions, 383
- screw, 293, 380
- self energy, 382
- tilt boundary, 411
- dispersion, 562
- dispersion forces, 424
- displacement parameter, 400
- displacement vector, 160
- displacive ferroelectric, 437
- displacive instability, 396
- dissipation, 544, 548
- distribution coefficient, 110
- divacancy, 491
- divergence, 350, 502
- DO₃, 359, 538
- domain, 178, 458
- domain boundary, 348
- domain wall, 476
- driven systems, 249
- driving force, 77
- Duwez, Pol, 281
- dynamical coordinates, 176
- dynamical matrix, 563
- Dzyaloshinskii-Moriya interaction, 456
- Edisonian testing, 6
- Ehrenfest's equations, 216
- eigenvalues, 564
- eigenvectors, 564
 - of dynamical matrix, 563
- Einstein convention, 518
- Einstein model, 194, 195, 398
- elastic, 160
 - anisotropy, 429
 - energy, 212, 298, 332, 429, 517, 567
 - field, 304
 - scattering, 556
 - waves, 562
- electric dipole moment, 456
- electrical conductivity, 153, 245
- electron energy, 157
- electron gas, 148
- electron levels, 220
- electron transfer, 143
- electron-phonon coupling parameter, 474
- electron-phonon interaction, 472, 575
- electron-phonon interactions, 569, 575
- electron-to-atom ratio, 26, 154
- electronegativity, 26, 143, 144, 204
- electronic DOS, 147, 153, 474, 575

- electronic energy
 - dimensionality, 418
- electronic entropy, 568
- electronic heat capacity, 151
- electronic oxides, 446
- electronic structure, 22
- electrons, 3
- Eliashberg coupling function, 474
- embryo, 80
- emergent phenomenon, 4
- energy, 17, 38, 196
 - elastic, 163
 - surface, 83, 170
- energy gap, 475
- energy landscape, 252, 279
- energy versus matter, 463
- ensemble average, 228, 545
- enthalpy, 52
- entropy, 16, 17, 38, 52, 196, 388
 - configurational, 52, 388
 - electronic, 52, 151
 - magnetic, 52, 388
 - microstructure, 410
 - vibrational, 191, 388, 559
- equation of state, 209
- equations of motion, 561
- equiaxed, 91
- equilibrium, 533
 - kinetic, 75, 77
 - non-thermodynamic, 249
 - thermodynamic, 74
- equilibrium interatomic separation, 158
- equilibrium shape, 84
- error function, 65
- Eshelby cycle, 164
- Euler equation, 328, 345
- eutectic, 42, 54, 107
- eutectoid, 45, 305
- evaporation, 116
- exchange energy, 428, 439
 - spin, 508
- exchange hole, 441
- exchange interaction, 447, 514
- extreme conditions, 217
- fcc, 357, 490
- Fe, 26, 413, 442
 - nanocrystal, 423
- Fe₃Al, 359
- Fe₃O₄, 436
- Fe-C, 387
- Fe-Cr, 13
- Fe-Ni, 388, 390, 558
- Fermi
 - energy, 150
 - level, 154, 456
 - surface, 153, 474, 577
 - wavevector, 150
 - Golden Rule, 554
- Fermi-Dirac statistics, 373
- ferrimagnetism, 434
- ferrite, 304
- ferroelectric, 437, 456
- ferromagnet, 507
- ferromagnetism, 434, 442, 447
- Fick's laws, 59
- finite element methods, 56
- first Brillouin zone, 355
- first phase to form, 127
- first-order transition, 7
- fluctuation, 82, 319
 - concentration, 331
- fluctuation-dissipation theorem, 549
- fluid, 56, 505
- flux, 60, 61
- flux of atoms, 330
- fluxon, 477
- force, 244
- force constants, 560
- forging, 309
- Fourier Series, 66
- Fourier transform, 376
- Fourier-Bessel expansion, 73
- Fowler correction factor, 179
- Frank-Van der Merwe growth, 295
- free electron model, 148, 156
- free energy, 27
 - alloy phases, 23
 - curvature, 39
 - k-space, 364
 - phonon, 190
 - spinodal unmixing, 249
 - thermal expansion, 568
- free energy vs. composition, 27
- freezing, 6, 7, 107, 263
- Friedel, 284, 407
- Friedel oscillation, 456
- frustration, 435
- functional, 327
- G-P zone, 285
- gases, 209
- Gauss integrals, 253, 268
- Gauss's theorem, 521
- Gaussian, 96, 553
- Ge, 575
- generating function, 259
- Gibbs, 91, 176
- Gibbs free energy, 18
- Gibbs phase rule, 42, 45, 338
- Gibbs-Thomson effect, 415
- Gibbs-Thomson effect, 89
- Ginzburg-Landau Equation, 341, 347, 476
- glass, 120, 129

- strong or fragile, 131, 280
- transition, 129
- glide, 381
- Goodenough-Kanamori rules, 455
- Grüneisen parameter, 201, 203, 214, 224, 571
- gradient, 60, 350
- gradient energy, 322, 323
- grain boundary, 85, 171, 301, 410, 411
 - energy, 412
 - width, 412
- grain boundary allotriomorph, 86, 172
- gravity, 225
- Green's function, 64, 517, 524
- ground state, 464
- ground state maps, 490
- growth equation, 310
- growth rate
 - interface, 117
- Guinier-Preston zones, 90
- H₂⁺ molecular ion, 142
- H₂, 465
- H₂ molecule, 173
- habit plane, 388
- Hamiltonian, 560
- hard core repulsion, 158
- harmonic approximation, 192, 560, 571
- harmonic model, 188, 256
- harmonic oscillator, 190, 397
- Hartree-Fock wavefunction, 440
- hcp, 408
- He, 463
- He II, 467
- heat, 557
- heat capacity, 216
 - quasiharmonic, 566
- heat of formation, 28
- heat treating, 309
- Heisenberg model, 282, 439, 450
- Helmholtz free energy, 17, 196
- heterogeneous nucleation, 81, 303
- heteronuclear molecule, 142
- HfO₂, 575
- high vacuum evaporation, 116
- high-temperature expansion, 497
- high-temperature limit, 192
- homogeneous nucleation, 81
- homogeneous precipitate, 302
- Hooke's law, 162, 518
- Hubbard model, 445
- Hume-Rothery rules, 25
- Hund's rule, 442
- hydrogen, 15, 188, 424
- hydrogen atom, 173
- hyperbolic functions, 499
- hypereutectoid steel, 309
- hyperfine interaction, 4, 442
- hyperspace, 185, 186, 252
- hypoeutectoid steel, 309
- hysteresis, 388
- ice, 224
- iced brine quenching, 104
- ideal gas, 209, 246
- ideal solution, 38
- imaginary frequency, 398
- incoherent approximation, 556
- inconsistency
 - pair approximation, 178
- incubation time, 99
- independent variables, 537
- indistinguishability, 274
- inelastic scattering, 544, 551
- infinitesimal displacement, 399
- infinitesimal order, 370
- initial conditions, 66
- instability eigenvector, 404
- insulator, 153
- integration by parts, 327
- interatomic potential, 158
- interchange, 528
- interchange energy, 36
- interdiffusion, 126
- interface concentration, 126
- interface energy, 297, 324
- interface velocity, 128
- interference, 468
- intergranular fracture, 303, 339
- internal interface, 303
- internal stress, 430
- interstitial, 15, 387
- interstitialcy mechanism, 15
- Invar, 222
- inversion, 361
- ion beam bombardment, 106
- ionicity, 142, 143
- Ising lattice, 10, 195, 198, 282, 420, 446
- island growth, 295
- isoelectronic, 143
- isothermal, 389
- isothermal compressibility, 216
- isotope, 188
- isotopic fractionation, 206
- isotropy, 162
- iteration, 511
- Josephson junction, 470
- jump rate, 529
- jump sequence, 230
- jumping beans, 258
- K, 157, 172, 267
- k-space, 149, 358
- k-vector
 - as quantum number, 145
- Kauzmann paradox, 130

- KCl, 173
- kinetic arrest, 542
- kinetic energy, 142, 156, 254, 575
- kinetic master equation, 18, 74, 531
- kinetic path, 536, 541
- kinetic stability, 410
- kinetics, 5, 76, 226, 527
- kink, 288, 481
- Kirkendall voids, 237
- Kopp–Neumann rule, 177
- Kosterlitz–Thouless transition, 282
- Kurdjumov–Sachs, 390
- $L1_0$ structure, 359
- $L1_1$, 378
- $L1_2$, 359
 - first order, 371
- laboratory frame, 237
- Lagrange multiplier, 328
- lamellar spacing, 308
- Landau theory, 396
 - first order, 401
 - function, 397
 - potential, 402
 - vibrational entropy, 402
- Landau–Lifshitz criterion, 370
- Langevin equation, 548
- Langmuir isotherm, 425
- Laplacian, 56, 350
 - separable, 71
- laser processing, 105
- latent heat, 7, 19, 263, 306
- lattice connectivity, 513
- lattice dynamics, 560
- lattice gas, 431
- lattice mismatch, 82
- Laue condition, 357
- layer-by-layer growth, 295
- ledeburite, 305
- ledge, 288
- ledges and growth, 287, 293
- length scale, 512
- Lennard–Jones potential, 158, 172
- lenticular precipitate, 171
- lever rule, 27, 107
 - differential form, 110
- levitation melting, 105
- Li, 275
- Lifshitz, Slyozov, Wagner, 315
- Lindemann rule, 277
- linear elasticity, 160
- linear oxidation, 125
- linear response, 76, 250, 547
- linearize near T_c , 533
- liquid, 6, 211, 273, 501
- liquid free energy, 27
- liquidus, 32, 55
- local chemical environment, 535
- local spins, 447
- long-range interactions, 375
- long-range order, 48, 198, 506
- longitudinal branch, 562
- Lorentzian, 553
- lower bainite, 305
- LRO, 47, 448, 527
- M_f and M_s , 389
- magnetic field, 44
- magnetic
 - flux, 458
 - nanoparticles, 431
 - order, 341
 - phase transitions, 433
 - susceptibility, 435, 454
 - systems, 501
 - torque, 454
- magnetism, 222, 427, 476
- magnetite, 435, 436
- magnetization, 408, 449, 504
- magnetocrystalline anisotropy, 429
- magnetoelastic energy, 343
- magnon, 452
- many-body theory, 256
- marker velocity, 237
- martensite, 12, 304, 310, 379, 407
 - crystallography, 393
 - magnetic field effect, 438
- martensite transformation mechanism, 392
- Martin, Georges, 249
- master equation, 18, 74, 527, 528
- matrix stress, 166
- Maxwell construction, 210
- Maxwell relationship, 18, 216
- McMillan expression for T_c , 475
- mean field approximation, 373, 453
- mean-squared displacement, 226
- mechanical attrition, 414
- melt spinning, 105
- melting, 6, 7, 225, 263, 371
 - atom displacements, 277
- melting point, 32
- melting temperatures, table of, 266
- memory, 229
- Mendeleev number, 28
- metallic bond, 156
- metallic glass, 121, 129
- metallic radius, 26
- metastable, 288, 319, 541
- methane, 424
- Metropolis algorithm, 542
- Mg, 26
- microstructure, 6, 313, 337, 410
 - in steels, 310
- midrib, 389

- Miedema, A.R., 28
- misfit energy, 518
- misfitting particle, 164
 - ellipsoid, needle, plate, 168, 524
- Mo, 267, 575
- mobility, 77, 245, 349, 536
- models, 4, 281
- molecular dynamics, 258
- molecular orbital, 138
- molecular wavefunction, 140
- monomer, 93
 - attachment to cluster, 93
- Monte Carlo, 540
- morphology, 91
- Morse potential, 158
- moving boundary, 113
- multicomponent alloy, 537
- multiphonon scattering, 557
- item Na, 157, 212
- Nabarro, Frank, 168
- nano-dots, 419
- nanomaterial, 410
- nanosstructure, 417
 - low-energy modes, 422
 - phonon broadening, 424
- NaI, 359
- Nb₃Sn, 387
- Néel temperature, 454
- neutron, 554
- Newton's law, 548
- Nishiyama, 391
- NiTi, 407, 414
- Nobel prize, 507
- nonconservative dynamics, 348
- nonconserved quantity, 341
- nonequilibrium, 536
- nonequilibrium cooling, 110
- nonlinear oscillator, 398
- normal coordinates, 190, 252, 573
- normal modes, 186, 194, 561
- nose, 120
- nucleation, 12, 40, 80, 119, 126, 285, 320
 - and growth, 12, 80, 120, 285
 - edges and corners, 87
 - elastic energy, 89
 - grain boundary, 85
 - heterogeneous, 81, 85
 - homogeneous, 81
 - in concentration gradient, 126
 - rate, 91, 97
 - temperature dependence, 97
 - time-dependent, 98
- nuclei, 3
- nucleus
 - coherent, incoherent, 81, 82
 - critical, 82
 - numerical calculations, 515
 - occupancy variable, 373
 - Ohm's law, 245
 - Olson-Cohen model, 392
 - omega phase, 405
 - Onnes, 471
 - optical mode, 562
 - optical phonon, 458
 - orbitals, 218
 - order parameter, 338, 361, 529, 537
 - ordered domain, 178
 - ordering, 47, 359
 - orientation relationship, 390
 - orthogonality
 - Bessel functions, 73
 - sine functions, 69
 - overcounting, 34, 194
 - overlap integral, 138
 - oxidation, 124
 - oxides
 - electronic, 446
 - Péclet number, 340
 - pair approximation, 503, 527
 - consistency, 177
 - pair potentials, 36
 - pair variable, 178, 527
 - parabolic oxidation, 125
 - paraelectric, 437
 - parallelepipedon, 525
 - paramagnetism, 434
 - parent phase, 83
 - partial differential equation, 66
 - partial dislocation, 384
 - particle in a box, 148, 463
 - partition function, 15, 190, 487
 - at low T , 493
 - configurational, 34, 195
 - harmonic oscillator, 190
 - high temperature, 497
 - ordering, 199
 - spin, 508, 512
 - partitioning ratio, 109
 - passivation of surface, 126
 - Pauling, Linus, 144
 - Pd, 413
 - Pd-V, 201
 - pearlite, 304
 - peeling, 296
 - percolation threshold, 351
 - periodic boundary condition, 145, 561
 - periodic box, 451
 - periodic minimal surface, 351, 352
 - peritectic, 42
 - peritectoid, 45
 - perovskite, 457
 - Pettifor, David, 28, 143

- phase, 327, 469
 - compositions, 107
 - definition, 336
 - fractions, 107
- phase boundary with T , 495
- phase diagram
 - T - c , 9
 - continuous solid solubility, 32
 - eutectic, 41, 44
 - peritectic, 41, 44
 - unmixing, 38
- phase factor, 144, 468
- phase field theory, 336
- phase space, 274
- phase stability, 21
- phase transition
 - concept, 10
 - ordering vs. unmixing, 10
 - transition vs. transformation, 12
- Phillips–Van Vechten, 143
- phonon, 544, 554
 - damping, 424
 - density of states, 191
 - dispersion, 562
 - entropy, 191, 566
 - free energy, 190
 - polarization, 563
 - thermodynamics, 188, 571
- phonon dispersion, 575
- phonon DOS, 191, 564
- phonon-phonon interaction, 569, 575
- physical vapor deposition, 105
- physisorption, 424
- pipe diffusion, 303
- piston-anvil quenching, 105
- Planck distribution, 191, 565
- plastic deformation, 387, 430
- plate precipitate, 298, 524
- PMN, 437
- point approximation, 47, 372, 453, 503, 527, 528, 530
- Poisson ratio, ν , 159
- polariton, 458
- polarization vector, 562
- polaron, 445
- pole mechanism, 385, 386
- polycrystalline material, 420
- polymer, 144
- position-sensitive atom probe, 12
- potential energy, 142, 575
- potential gradient, 244
- potential well, 254
- Potts model, 282
- pre-melting, 264
- precipitate, 81, 109, 518
 - ellipsoidal, 89, 168
 - growth, 108
 - lens shape, 91
 - needle, 168
 - shape, 298, 522
 - strain effects, 89
- precipitate-free zone, 302
- preferred structure, 172
- pressure, 8, 17, 157, 208
 - thermal, 214
- primitive lattice translation vector, 355
- probability, 16
- probability density, 468
- processing of materials, 6
- product rule for derivatives, 520
- proeutectoid ferrite, 309
- prototype structures, 359
- pseudo-binary, 45
- pseudostable state, 541
- Pt, 413
- Pythagorean theorem, 350
- Python code, 511
- PZT, 437
- quadratic formula, 401
- quantum dot structures, 296
- quantum level separation, 149
- quantum matter, 462
- quantum volume, 273
- quartic, 401
- quasielastic scattering, 553
- quasiharmonic model, 207, 214, 269, 571
- quasistatic, 258
- quench, 81
- r -space, 358
- radiation defects, 542
- random solid solution, 34
- random walk, 96, 226, 544
- rare earth metals, 173
- reaction coordinates, 278
- recalescence, 264
- reciprocal lattice, 355
- reciprocal space, 354
- reconstruction (surface), 287
- recursion relation, 510
- reflection, 361
- relativistic self energy, 387
- relaxation, 544
- relaxation (surface), 287
- relaxation time, 547
- relaxor ferroelectric, 437
- renormalization group, 511
- rescaling, 509
- Richard's rule, 102, 276
- Richards, Allen, Cahn ground states, 490
- Riemann zeta function, 452
- right and wrong neighbors, 49
- rigid band model, 154

- roots of Bessel function, 73
- Rose equation of state, 267
- rotation, 361
- roton, 468
- roughening transition, 291
- Ruderman-Kittel-Kasuya-Yosida oscillation, 456
- Rushbrooke inequality, 504
- Sackur-Tetrode equation, 274
- saddle point, 252, 280, 367, 541
- scaling of interatomic potential, 267
- scaling theory, 505, 507
- scattering law, 551
- Scheil Equation, 111
- Schrödinger equation, 138, 469
- Schwarz P-surface, 351, 352
- second sound, 467
- second-order phase transition, 216, 370, 400
- self-force constant, 561
- self-similar, 315, 414, 507
- semiconductor, 153
- separation of variables, 66
- sextic, 401
- shape factor
 - strain effects, 90
- shape memory alloy, 407
- shear transformation, 391
- shell model, 576
- shock wave processing, 106
- Shockley partial dislocation, 384, 385
- short-range order, 178, 506
- short-range structure, 183
- shuffle, 393
- Si, 15, 128, 275, 288, 575
- singularity, 3, 185, 501, 502
- SiO₂, 131
- Slater-Pauling curve, 156
- Sm, 267
- small displacements, 560
- SnO₂, 575
- social network, 461
- soft mode, 404
- solid mechanics, 160
- solid solution, 10, 25, 33
- solid-on-solid model, 292
- solid-state amorphization, 122
- solidification, 338, 340
 - practical, 116
- solidus, 32, 55
- solute conservation, 29, 447
- solute partitioning, 121
- special points, 363, 367
- sphere, misfitting, 165
- spherodite, 305
- spin, 3, 181
- spin exchange energy, 508
- spin excitations, 177
- spin wave, 450, 454
- spin-orbit coupling, 456
- spinodal decomposition, 13, 38, 40, 184, 198, 249, 318, 366
- spinwave, 434
- spiral growth, 293
- splat quenching, 105
- spring, 163, 212
- sputtering, 105
- square gradient energy, 13, 298, 477
- square lattice, 47, 198, 513
- SRO, 180, 527
- stability, 153
- stabilization of austenite, 392
- stacking fault energy, 385
- star of wavevector, 361
- state variable, 15, 74, 536
- static concentration wave, 354
- statistical kinetics, 226
- statistical mechanics, 35, 188
- statistical variations, 551
- steady-state, 94
- steel, 304, 387
- Stirling approximation, 35, 189, 196, 421
- Stoner criterion, 443
- strain, 160
- strain field, 343
- Stranski-Krastanov growth, 295
- stress, 160
- stress-free strain, 518
- stress-free transformation strain, 298
- striped structure, 488
- structure factor rules, 357
- structure map, 28
- structure of solids, 4
- structure-property relation, 183
- strukturbericht, 359
- sublattice, 47, 198
- substrate mismatch, 295
- superconductor, 4, 471, 570
- superexchange, 455
- superferromagnetism, 429
- superfluid, 463, 465
- superparamagnetism, 429
- supersaturation, 81
- surface growth, 293
- surface energy, 13, 83, 169, 170, 295, 298, 415, 522
 - chemical contribution, 296
- surface reactions, 124
- surface-to-volume ratio, 323
- symmetry, 6, 400, 562
 - breaking, 541
 - operations, 361
- tanh, 448
- Taylor series, 560
- ternary alloy, 537

- ternary phase diagram, 45
- terrace, 288
- Th, 275
- thermal conductivity, 104
- thermal de Broglie wavelength, 274, 463
- thermal electronic excitations, 472
- thermal expansion, 158, 268, 430, 505, 566, 567
 - coefficient, 216
 - free energy, 568
- thermal pressure, 214
- thermodynamic identity, 17
- thermodynamic square, 18
- thermodynamics, 5, 15, 52
- thin film, 116
 - growth, 295
 - reactions, 124, 127
- thin plate, 525
- third law of thermodynamics, 466
- Ti, 405
- Ti-Nb, 387
- tie-lines, 45
- tight binding, 146
- tiling, 35
- time average, 228
- time constants, 535
- time-dependent nucleation, 98
- time-temperature-transformation diagram, 120
- TiO₂, 575
- tracer, 230
- transient structure, 538
- transition metal, 158
- transition metal silicides, 128
- transition rate, 75, 554
- translation, 361
- translational invariance, 369
- translational symmetry, 144
- transverse branch, 562
- truncation of cluster expansion, 183
- TTT diagram, 120
- twinning, 379, 391, 408
 - mechanism, 385
- two-level system, 220
- two-phase mixture, 467
- umklapp process, 575
- undercooling, 120
- unit cell, 358
- universal behavior, 502
- universal potential curve, 267
- unmixing, 318, 366
- upper bainite, 305
- V, 575
- V₃Si, 387
- vacancy, 230, 288, 491
 - concentration, 53
 - diffusion, 56
 - jump, 528
 - mechanism, 14
 - ordering, 535
 - relaxation, 530
 - trap, 233, 259
- Van der Waals, 209, 424
- Van Hove function, 551
- Van Hove singularity, 422, 563
- vapor pressure, 116
- variational calculus, 326
- vector identity, 520
- velocity
 - of interface, 340
 - of boundary, 350
- velocity-velocity correlation function, 544
- Verwey transition, 436
- vibrational entropy, 257, 559
 - concept, 185
- vicinal surface, 170, 411
- Vineyard, George, 252
- virtual phonon, 473
- viscosity, 131
- void and vacancies, 316
- Volmer-Weber growth, 91, 295
- vortex tube, 477
- W, 413, 575
- W-matrix, 75, 531
- Walser-Bené rule, 129
- water, 9
- wave, 359
- waves in crystals, 355
- Weiss theory, 222
- Wigner-Seitz radius, 277
- Wulff construction, 170
- x-ray diffraction, 358
- x-y model, 282
- Young's modulus, 159
- Zeldovich factor, 93, 96
- zero-point energy, 207, 465
- zone refining, 132
- Zr, 405
- ZrO₂, 571, 575